


COLLECT
OF
RECEITS

For the Use of the POOR.

Homo sum : Humani a

The THIRD EDITION.



BRISTOL

Printed by *Felix Farley*

[Price Two Shillings]

Advertisement.

Suppose, there are few *infallible* Medicines; but believe, most of those which now will sell as seldom as any, and much more seldom than the *costly* ones in common.

From a vast Number, I have selected few, which are not only *cheap* but *safe*: very few of them, if they do no Good, being likely to do much Harm.

For most Distempers I have set down several. If one does not help, another may. And they may generally be tried, one (at a Distance) after another, using the easiest and simplest first.

LONDON,

1745.

A COLLECTION OF RECEITS.



1. For an *Ague*.

1. TAKE a handful of *Groundsell*, shred it small, put it into a Paper Bag four Inches square, pricking that Side that is to be next the Skin full of Holes. Cover this with a Linnen, and wear it on the Pit of the Stomach, renewing it two Hours before every Fit:

2. Or, boil *Yarrow* in New Milk, 'till it be tender enough to make a Plaister of it. Just before the Cold Fit, apply this to the Wrists, and let it be on till the Fit is over. If another Fit come, use a fresh Plaister.

3. Or, spread soft Wax, about the Thickness of a Crown-piece, large enough to cover the Wrist. On this spread the Leaves of the Tops of *Rue*, not yet fully opened. Let this Plaister lie on the Wrist five or six Days:

4. Or, split two large Figs, and spread on them *Alabaſter* beaten to Powder. Bind these to the Wrists.

5. Or, as much *Sal-Prunella* as will lie on a Shilling, an Hour before the Fit. Take it three Times.

6. Or, take as much *Snake-Rose* finely cut, as will lie on a Shilling, in a Glas of Wine, till the Fit. Repeat this, if Need be, once or twice.

Collection of Receipts.

From half a Dram to a Dram of *Angelica* two Hours before the Cold Fit:

From a Dram and a half to two Drams of *Prunstone* finely powdered, in a little Honey two Hours before the Fit. If Need be, re-

2. An *Anasarca*, or *Flesh Dropsy*.

Apply the Leaves of *Green Dock* to the Joints and Feet, changing it once a Day:

Or, fry *Rue* in Oil of Walnuts, and apply it hot to the Navel, changing it once a Day.

3. *St. Anthony's Fire*.

Take a Decoction of *Elder-Leaves* as a Sweat. Or, apply *Cow Dung* to the Part:

Or, a Cloth dipp'd in *Blood* and laid on moist:

Or, a Cloth dipp'd in *Lime-Water* (see Art. 142)

Or, Oil of *Elder* and camphorated *Spirits of Wine*.

4. An *Apopletick Fit*.

Apply a *Cupping-Glass*, without scarrifying, to the Neck, and another to each Shoulder.

5. An *Asthma*.

Drink largely of *Water* saturated with the Spirit of *Sulphur*: Or, of *Toast and Water*, with a little *Salt* and *Sugar*, especially at going to Bed.

Or, take Morning and Evening a Spoonful of *Nettles* mixt with clarified *Honey*.

Or, for present Relief, a Spoonful of *Vinegar*.

It is a gentle *Vomit*.

Oranges, Lemons, Barbaries, Vinegar, Juice of are often helpful:

Or, take *Roots of Elecampane*, thinly sliced, one and a Handful of *Ground-Ivy Leaves*. Boil

in three Pints of *Spring Water* to a Quart. Strain it, and mix it with *Honey*, and drink 6 or 7 Spoonful

Morning and Evening: Or, half a Pint of *Tar-Water*.

6. A *Dry*, or *Catarrhical* *Asthma*.

Put fine *Saffron* to a kind of Powder, reboiled in *Grains*, in any Mixture, every Night.

7. *Bleeding at the Nose*.

Apply to the Neck behind and on each Side, a Poultice of *Cold Water* mixt with *Salt* and *Smell*.

A Collection of Receipts.

8. To staunch Blood.

22. Take *Puff-balls* full ripe, break them warily, and save the Powder that is within. Strew this Powder over the Wound, and bind it on.

9. A Bruise.

23. Apply as a Plaister, chopt *Parsley* mixt well with fresh Butter :

24. Or, clarified *Honey* spread on Cap-paper.

25. Or, Common *Treacle* so spread.

10. A Burn.

26. Apply immediately a bruised *Onion* :

27. Or, a Rag dipt in *Rum* ; or *Spirits of Wine* :

28. Or, *Oil* and *Parsley* stamp together :

29. Or, apply *Oil*, and strew on it powder'd *Gall* :

11. A deep Burn or Scald.

30. Take Inner Rind of *Elder* and fresh *Sheep's Dung*, make it into an Oinment with fresh Butter :

31. Or, dress it several Times a-day with a Feather dipt in *Linseed Oil* and *Lime-Water* beaten well together :

12. Chill-blains.

32. Apply *Salt* and *Onion* pounded together :

33. Or, Roast a *Turnip* in the Ashes, beat to a *Poultis*, apply it hot, and keep it on 3 or 4 Days, if need be.

13. A Cancer.

34. Apply a *Poultis* of *Hemlock* ; but let it not lie on so long as to raise a Blister :

35. Or, take half a Dram of *Venice Soap* twice a day, either in a Pill, or in Wine, or Water.

14. Canker in the Mouth.

36. Take an Ounce of *Flowers of Sulphur*, and half an Ounce of *Rock Allum* finely powder'd. Mix them well together with pure *Honey*, to be applied from Time to Time.

15. The Cholick.

37. A Pint of cold *Water* :

38. Or, a Quart of warm *Water* :

39. Or, a Pint of Small-beer or *Water* in which a red hot *Flint* has been quenched : Or, a handful of *Haws* dried and powder'd as will lie upon a *Shilling* in a Cup of warm *Water* :

40. Or, from two Scruples to half a Dram of the yellow Peel of *Oranges*, powder'd, in a Glass or in Tea :

A Collection of Receipts.

41. Or, grind in a Stone Mortar an Ounce of *Nitre*, with half a Scruple of *fine Saffron*. Of this take about half a Dram at once, in a large Glass of Cold Water.

16. A Stubborn Cholick.

42. Mix half a Dram of *Mastick* with the Yolk of a new-laid Egg, and take it once or twice a-day:

43. Or, a Decoction of *Mallow-leaves*, drank largely:

44. Or, *Camomile Tea*:

45. Or, a Bag of *hot Oats* applied externally:

46. Or, *Root of Garlick*:

47. Or, *Anyseed Oil* from 40 to 100 Drops in a little Sugar.

17. To resolve Coagulated Blood.

48. Make a Paste of *black Soap* and *Crumbs of white Bread*, and bind it on the Part for some Hours:

49. Or, grated *Root of Burdock*, spread on a Rag. Renew this twice a-day.

18. Convulsions.

50. Take half a Dram of *Misselto* as a Bolus every six Hours, drinking after it a Draught of Strong Infusion thereof. This also cures the *Falling Sickness*.

19. Convulsions in Children.

51. Give the Child, according to its Age, in Water or Tea, from 2 to 7 Grains of *Volatile Salt of Amber*.

20. Corns.

52. Apply a little Piece of *Fresh Beef* every Morning:

53. Or, boil the *Juice of Radishes*, till it is thick enough to spread as a Plaster. Shift it as it grows dry:

54. Or, the *Yeast of Small Beer*, spread on a Rag, and renewed once a-day.

21. A Cough.

55. Drink a Pint and half of *cold Water*, going to Bed:

56. Or, mix the *Juice of boil'd Turnips* with as much finely powder'd *Sugar Candy*, as will make a kind of Syrup. Swallow a little of this, Drop by Drop, from Time to Time:

57. Or, Mix an Ounce of *Linseed Oyl* with an Ounce of *white Sugar Candy* powder'd, and take a Tea-spoonful, when the Cough comes.

22. *A Consumptive Cough.*

58. Slit ten or twelve *Raisins of the Sun*, take out the Stones, and fill them with the small, tender *Tops of Rue*. Take these early every Morning, fasting two or three Hours after.

23. *A Convulsive Cough.*

59. *Preserv'd Walnuts* :

60. Or, boil a handful of *Bay-leaves* in *Milk*; turn this with *White-wine*, and drink a Draught of the Whey.

24. *Costiveness.*

61. Rise early :

62. Or, take a Decoction of *Tamarinds* in *Whey* :

63. Or, boil in a Pint and half of Broth, half a handful of *Mallow-leaves* chopt. Strain this, and drink it, before you eat any thing else.

25. *The Cramp* (to prevent)

64. At going to Bed, tie your *Garter* tight under your *Knee* : Or, sew the *Leaves of Rosemary* in *Linnen*, so as to make a kind of *Garter*. Tie this under your *Knee* when you go to Bed.

26. *Deafness.*

65. Drop *Juice of Elder-leaves* into the Ear :

66. Or, if the Ear be stop't with *Wax*, gently scrape it with *Sage-tea* mixt with *White-wine* :

67. Or, put a *Grain of Musk*, or *Amber*, or *Croci*, wrapt in *Raw Silk*, into the Ear, going to Bed :

68. Or. *Ants Eggs* bruis'd and mixt with the *Juice of Onions*.

27. *Diabetes.*

69. Drink *Wine* boil'd with *Ginger*, as much and as often as your *Strength* will bear. Let your Common Drink be *Milk* and *Water*. All *Milk-meats* are good.

28. *Dropsy.*

70. Drink Morning and Evening, a Spoonful of the *Juice* of those *Artichoke-leaves* that grow on the *Stems* :

71. Or, abstain from all Drink thirty Days. Hold on your *Tongue* a thin, small Slice of *Bread* dipt in *Brandy*, it will ease your *Thirst* :

72. Or, boil three Handful of the *Inner Bark of Alder* in a Pint of *Water* and a Pin of *Milk* to half the Quantity. Take half of this in the Evening.

A Collection of Receipts.

Or half in the Morning. Repeat this daily till you
are well:

Or, infuse a Pound of white and clean *Asbes* of
Water, and a large Handful of *Wormwood*, in two
Quarts of *Rhenish*, cold: of which take a Quarter of
at in the Morning, at Four in the Afternoon, and
at Night.

29. The Ear-ach.

Apply a hot Roll to the Ear:

Or, put into it a roasted Fig, as hot as you can

Or, rub the Ear hard for a Quarter of an Hour:

Or, blow the Smoke of Tobacco strongly into it.

30. Ear-ach from Worms.

Drop in warm Milk, and it brings them out:

Or, drop in Juice of *Wormwood*, which kills

Or, Oil of bitter Almonds.

31. A Blood-shot Eye.

Mix half a Dram of well-powder'd Tutty with an
Ounce of Red-Rose-water. Drop this often into the
Eye.

32. A Bruise in the Eye.

Apply as a Plaister, Conserve of Roses:

Or, a Paste of black Soap and white Bread

But take Care it get not into the Eye.

33. To clear the Eye, even from Films.

Dry *Zibethum Occidentale*, slowly; then reduce
to an impalpable Powder. Blow this into the Eye
or thrice a Day.

34. Hot or sharp Humours in the Eye.

Beat the White of an Egg into a Water; in
which mix fine Sugar, and drop it frequently into the

35. Weak or Sore Eyes.

Heat half an Ounce of *Lapis Calaminaris* red-
and quench it in half a Pint of French white Wine
as much White-Rose-Water, then pound it fine and
use it. Shake the Bottle whenever you use it. I
have known this to cure total Blindness.

36. The Falling Sickness.

87. Drink only Decoction of *Lignum Guaiacum* for

2000.

88. Or,

A Collection of Receipts.

88. Or, use an *entire Milk Diet* for three Months :

89. Or, *rub* the Limbs thro'ly, and then use the *cold Bath* daily :

90. Or, take in a Glafs of White-wine, as much of the Powder of *Misselto* as lies on a Six-pence, early in the Morning, for two Days before and two Days after the full Moon :

91. Or, take daily for six Weeks, half a Dram of choice *Amber*, finely powder'd, in Tea or Water :

92. Or, drink warm, twice a Day, half a Dram of fine *Castile Soap*, boil'd in a Quarter of a Pint of *Milk* : Or, drink a large Glafs of *Tar-Water* every Night, and two Hours before Breakfast every Morning, for three Months. (See Art. 93.)

37. A Fever.

93. Drink a Pint and half of *cold Water*, lying down in Bed : or, put a Gallon of *cold Water* to a Quarter of *Norway Tar*. Stir them together with a flat Stick, for three or four Minutes. After 48 Hours pour off the clear Water and bottle it. Of this drink a large Glafs every Hour, in the Beginning of this, or any other Distemper.

38. An intermitting Fever.

94. Drink *warm Lemonade* in the Beginning of every Fit, a little at a Time. In a few Days the Fits will cease :

95. Or, twenty Grains of *Sal Armoniac* in a Dish of Tea, one or two Hours before the Fit : Or, Powder of the Root of *Black-Thorn*, with a little Salt of *Worm-wood*.

39. A Flux.

96. Take the Stalks and Leaves of *Flea-bane*, dry them gently, and powder them. Of this Powder give about a Dram at a time, in Green Tea or Broth, twice or thrice a-day :

97. Or, dry and beat to Powder the *Jaw-bone* of a *Jack* (the Fish) and take as much as will lie on a Shilling.

40. A Bloody Flux.

98. Take 20 or 30 Grains of *trussed Roubark*, at Night, twice or thrice in the Week :

99. Or,

99. Or, a small *Nutmeg* powder'd in the *Yolk of an Egg* :

100. Or, a Spoonful of *Juice of Ground-Ivy*, twice or thrice a-day, in a little small Broth :

101. Or, after a Dose or two of *toasted Rhubarb*, take frequently a Tea-spoonful of *Oil of Sweet-almonds*, mixt with *Citron-juice*. *Sweats* should be intermixt :

102. Or, take *Juice of Ground Ivy*, three Ounces, *Juice of Plantane*, one Ounce, mixt, once or twice a-day :

103. Or, the *Powder of Puff-balls*, from a Scruple to half a Dram, as the Constitution and Case may require :

104. Or, a Dram of the Seed of *Flax-weed*, in two or three Spoonful of Broth, once or twice a-day.

41. *The Gout.*

105. Use little Flesh, no Strong Drink, and much Exercise :

106. Or, at rising, drink a Pint of Spring Water early : Breakfast and Sup on boil'd Milk : Dine on Whitepot, or Vegetables : Spend, at least, an Hour, in Exercise ; rub the Parts, (as you can bear) Morning and Evening :

107. Or, take thrice a-day 30 Drops of *Spirit of Horn*, in a Draught of *Bugbane Tea*. Keep very quiet after it :

108. Or, take equal Quantities of *Rue*, *Nettles*, and *Elder-flowers* : Make therewith a strong Tea ; of which drink half a Pint, at least, every Morning for three Weeks :

109. Or, about six in the Evening, undress yourself, and wrap yourself up close in Blankets ; then put both your Legs up to the Knees in a Pail of Water as hot as you can bear it : As it grows cold, let hot Water be pour'd in afresh, so as to keep you in a strong Sweat till Ten. Then be carried into a Bed well warmed, and sweat till Morning :

110. Or, rub the Part with *warm Treacle*, and then bind on a Flannel linear'd with the same. Repeat this, if need be, once in twelve Hours :

111. Or, (to allay the Pain) apply *Spirit of Sal Armoniack*.

112. Or,

A Collection of Receipts.

12

112. Or, beat *Linseed* in a Mortar with a little Water, till the Water is pretty white. Dip a clean Rag in this and apply it warm to the Part, shifting it once an Hour.

42. The Gravel.

113. Warm Water *sweeten'd with Honey*:

114. Or, drink largely of *Pellitory* of the Wall Tea, *sweeten'd with Honey*.

43. Head-Ach.

115. Rub the Part that aches for a Quarter of an Hour:

116. Or, Boil a handful of *Rosemary* in a Quart of Water. Put this in a Mug, and covering the Head and Face with a Napkin, hold it over the Steam as hot as you can bear. Repeat this till the Pain ceases:

117. Or, wear *Green Hemlock* that is tender, thinly spread on the Soles of your Feet. Shift it every Day:

118. Or, snuff up the Nose *Juice of Ground-Ivy*:

119. Or, any *Camphorated Spirits*:

120. Or, the *Juice of Horse-radish* scraped, and tied in a Rag.

44. A Nervous Head-ach.

121. Dry and powder an Ounce of *Marjoram*, and half an Ounce of *Affarabacca* (it is like the Garden Scurvy-grass, only larger and of a darker Colour.) Mix them and take them as Snuff, keeping the Ears and Throat warm.

45. An Hemicrania.

122. Apply to that Part of the Head shaved, any Plaister that will stick, with a Hole cut in the Middle of it as big as a Halfpenny. Apply over that Hole, Leaves of *Ranunculus*, bruised and very moist. It is a gentle Blister.

46. The Hoop.

123. Swallow a Mouthful of Water, stopping the Nose and Ears:

124. Or, take any thing that makes you *sneeze*:

125. Or, two or three preserved *Damsons*:

126. Or, a little candied *Ginger*.

47. Hoarseness.

127. Decoction of Turnips:

128. Or,

A Collection of Receipts.

128. Or, *Juice of Radishes* :

129. Or, *Chew Stick Liquorish*.

48. *Jaundice.*

130. Take *calcined Egg-Shells*, as much as will lie on a Shilling for three Mornings fasting ; using Exercise after, till you sweat.

131. Or, boil three Ounces of *Hempseed* in a Pint of New Milk, till some of the Seeds begin to burst. Drink this warm in the Evening : If need be, for some Days together :

132. Or, half a Dram of *Castile Soap*, boiled in Milk :

133. Or, a large Glas of *Tar-water*, Morning, Afternoon, and Night.

49. *The Jaundice in Children.*

134. Take half an Ounce of fine *Rhubarb powder'd* : Mix with it thro'ly by long beating, two Handsful of good, well cleansed *Currants*. Of this give the Quantity of a Nutmeg every Morning for several Days.

50. *The Itch.*

135. Wash the Body with *black Soap* ; but wash it off soon, lest it should take off the Skin :

136. Or, steep a Shirt half an Hour in a Quart of Water, mixt with half an Ounce of *powder'd Brimstone*. Dry it, and wear it five or six Days :

137. Or, mix Powder of *white Hellebore* with Cream three Days ; then anoint the Joints three Mornings and Evenings :

138. Or, boil a Handful of the *Roots of Elecampane*, and a Handful of the *Roots of sharp-pointed Dock*, in two Quarts of Spring Water to three Pints ; strain it, and wash the Parts affected once or twice a Day.

51. *Stoppage in the Kidneys.*

139. Take twelve Grains of *Salt of Amber* in Wine or Water.

52. *The King's Evil.*

140. Drink daily for six Weeks a strong Decoction of *Devil's Bit* :

141. Or, boil a Handful of *Felon-wort* in a Quart of Water, and use it three Months for common Drink :

142. Or

A Collection of Receipts.

13

142. Or, infuse a Pound of good *quick Lime* in a Gallon of Spring Water for twenty-four Hours; then decant the Liquor and use it for common Drink.

53. The Leprosy.

143. Wash or swim in the Sea, often and long:

144. Or, drink for a Month a Decoction of *Elm Bark*, Morning and Evening, mixt (if need be) with a little White-wine:

145. Or, an Ounce of *Pomatum*, a Dram of powder'd *Brimstone*, and half an Ounce of *Sal Prunellæ*; mix them well, and anoint the Parts so long as there is Need.

54. The Lethargy.

146. Snuff strong *Vinegar* up the Nose:

147. Or, Powder of *white Hellebore*.

55. Lice.

148. Wash the Head with a Decoction of *Amaranth*:

149. Or, sprinkle on it the Berries of *Coculus Indicus* powder'd.

56. Lunacy.

150. Boil *Juice of Ground-Ivy*, with Sweet Oil and White Wine into an Ointment; shave the Head, anoint it therewith, and chafe it in warm every other Day for three Weeks. Bruise also the Leaves, and bind them on the Head; and give three Spoonful of the Juice in warm Ale every Morning.

57. The Bite of a Mad Dog.

151. Apply as soon as possible, *Juice of Fig-tree* made into an Ointment with Hogs-Grease.

152. Plunge into cold Water, and keep as long under it as can be done without drowning.

58. To resolve coagulated Milk.

153. Cover the Woman with a Table-Cloth, and hold a Pan of *hot Water* just under her Breast; then stroke it some Minutes: Do this twice a-day till it is cured.

59. To increase Milk.

154. Make Pottage with *Lentils*, and use it freely.

60. The Piles.

155. Apply warm *Treacle*:

156. Or, drink *Treacle* and *Water* largely:

157. A Drop of Oil of *Box* stops the Pain:

B

158. Or,

158. Or, *Root or Leaves of Scurvy-Grass*, green or dried, taken in Substance or in Decoction.

159 *Varnish* applied cures both the Blind and Bleeding Piles.

61. The *Pleurisy*.

160. Drink a Glas of *Tar-Water* every Half-hour.

62. For a *Prick or Cut that festers*.

161. Anoint it with *Oil of Turpentine*.

63. The *Quincy*.

162. Swallow Drop by Drop, *white Rose-water*, sweetened with *Syrup of Mulberries* :

Or, apply a large white Bread Toast, half an Inch thick, dipp'd in *Brandy*, to the Crown of the Head, till it dries.

64. The *Rheumatism*.

164. Dry *Elder Flowers* pick'd from the Stalks, and put them up in Canisters; drink Tea made of these twice a Day for a Month :

165. Or, use the *Cold Bath* every Morning :

166. Or, live fourteen Days on new *Milk Whey* and *white Bread* :

167. Or, use an *entire Milk Diet* for a Month :

168. Or, infuse *Earth Worms* in White Wine, and drink a Glas twice a-day :

169. Or, take twenty-five Grains of *toasted Rhubarb* every other Night :

170. Or, *chew Rhubarb* two Hours a Day, and swallow your Spittle.

171. To ease the Pain, *rub* the Part with warm *Creacle* :

172. Or, apply to the Part *live Worms* :

173. Or, a Poultis of *white Bread and Milk* :

174. Or, a Rag dipt in *Linseed Water* (see Art. 112)

175. Or, Spirit of *Sal Armoniac*, with a Feather.

65. *Scall'd Head*.

176. Anoint it with *Barbadoes Tar*.

66. *Sciatica*.

177. Apply *Quick Lime* mixt with *soft Soap* :

178. Or, *Leaves of Ranunculus* bruised, for 6 Hours :

179. Or, *White Briony Root* bruised, mixt with *Linseed Oil*, and apply'd warm. Repeat it till you are well.

67. The

67. The Scurvy.

180. An entire Milk Diet for six Months.

68. Sickneſs in the Morning.

181. Eat nothing after Six in the Evening.

69. Skin rubb'd off.

182. Apply *Self-head* pounded in a Stone Mortar. It ſeldom needs to be renewed.

70. The Small-Pox.

183. Drink largely of cold Spring Water at the Beginning:

184. Or, a large Glaſs of Tar-water once an Hour.

71. A Sore Mouth.

185. Apply the White of an Egg beat up with Loaf Sugar.

72. To draw a Splinter.

186. Apply a Poultis of chew'd Bread.

73. A Sprain.

187. Boil Bran in Wine Vinegar to a Poultis. Apply this warm, and renew it once in twelve Hours:

188. Or, make a Plaister of four Ounces of Bean-flower, with two Ounces of Wine Vinegar, and apply it warm:

189. Or, diſſolve Common Barbadoes Aloes in a little hot Water. Spread it pretty thick on a ſtrong Rag, and bind it eaſily on the Part.

74. A poiſonous Sting.

190. Apply a Poultis of bruifed Plantane and Honey.

75. The Stone.

191. Drink Linſeed-tea every Morning for a Month:

192. Or, take a Tea ſpoonful of Linſeed-oyl three a-day:

193. Or, of Oyl of Muſtard-ſeed:

194. Or, of Oyl of Sweet Almonds, with ſome Dropp of Balſum of Peru:

195. Or, a Scruple of Cochineal in a Glaſs of Rheniſh:

196. Or, a Tea ſpoonful of White Thorn Flower-water:

197. Or, burn the dried Shells of Kidney-beans to Powder. Of this put two Tea-ſpoonsful into a half Pint Tea-pot. Pour boiling Water on it at Night. In the Morning pour it off clear. Warm it again and

drink it, *sweeten'd with Honey*. Do this every other For-night, till cured :

198. Or, slice a large *Onion*. Pour warm Water upon it, and after it has lain twelve Hours, drink the Water. Do this every Morning till you are cured.

76. *Strangury.*

199. Drink largely of Decoction of *Turnips* :

200. Or, Decoction of *Malloes* :

201. Or, *Chicken-broth*, in which *Mallow-leaves* are boiled.

77. *Suppression of Urine.*

202. Take three *Bies* dried and powder'd in a little *White-wine* :

203. Or, *Juice of Lemons* sweeten'd with *Syrup of Violets* :

204. Or, a Spoonful of *Juice of Radishes*, or bruised *Mustard-seed* :

205. Or, *burnt Egg-shells*, from two Scruples to a Dram.

78. *Swell'd Leggs.*

206. Take equal Quantities of *Wormwood*, *Southern-wood* and *Rue* ; stamp them together and fry them in *Honey*, till they grow dryish : Then apply them as long as you can bear.

79. *A white Swelling (on the Joints.)*

207. Hold it daily under the *Stream* that falls from the *Will* :

208. Or, apply a green *Colewort-leaf* with *red Veins*, washing the *Ribs* : Renew this twice a-day.

80. *To clean the Teeth.*

209. Rub them with *Ashes* of *Burnt-bread*.

81. *To prevent the Tooth-ach.*

210. Rub the *Teeth* frequently with *Tobacco-ashes* :

211. Or, wash the *Mouth* with *Cold Water* every morning.

82. *To Cure the Tooth-ach.*

212. Rub the *Cheek* a quarter of an Hour.

213. Or, chafe the *Ear* and *Side* of the *Head* with *camphorated Spirits of Wine* :

214. Or, touch the *Tooth* with *Oyl of Box* :

215. Or, *Oyl of Penny-royal* :

216. Or, chew the *Root* of an *Iris* (*Flower-de-luce*.)

83. *A Vertigo.*

217. Apply to the Top of the Head shaven, a Plaster of *Flower of Brimstone* and *White of Eggs*.

84. *Bite of a Viper.*

218. Rub the Place immediately with *Common Oyl*.
2. Would not the same cure the *Bite of a Mad-dog*?

85. *An Ulcer.*

219. Apply a *Poultis* of *chew'd Bread* every twelve Hours :

220. Or, boil *Walnut-tree-leaves* in Water, with a little Sugar : Apply a Cloth dipt in this, changing it once in two Days.

86. *A stubborn Ulcer.*

221. Burn to Ashes (but not too much) the gross Stalks on which the *Red Colewort* grows. Make a Plaster with this and fresh Butter, changing it once a Day.

87. *To stop Vomiting.*

222. Apply a large *Onion* slit to the Pit of the Stomach :

223. Or, a Bag of *Saffron* :

224. Or, a Spoonful of *Lemon-Juice*, and six Grains of *Salt of Worm-wood*.

88. *Vomiting Blood.*

225. Take a Spoonful of *Juice of Nettles* :

226. Or, of *Juice of Quinces*.

89. *Bloody Urine.*

227. Take four Ounces of *Sheeps Milk* twice a Day.

90. *Sharp Urine.*

228. Take half an Ounce of fresh *Juice of Ground Ivy*.

91. *Uvula relax'd.*

229. Bruise the *Veins* of a *Cabbage-leaf*, and lay it hot on the Crown of the Head. Repeat it in two Hours, if needed.

92. *Warts.*

230. Rub them daily with a *Raddish* :

231. Or, with *Juice of Dandelion* :

232. Or, Water in which *Sal Armoniac* is dissolved.

93. *A Whitlow.*

233. Apply a *Poultis* of *chew'd Bread*. *Shift it once a-day.

94. *Warts*

94. *Worms.*

234. A Tea-spoonful of *Wormseed and Treacle*, for six Mornings:

235. Or, of Powder of *burnt Hartshorn*, mixt with Sugar.

95. *Wounds.*

236. Apply *chew'd Bread*:

237. Or, *Juice of Celandine*, as a Balsam.

F I N I S.

